

Special Section of
Leonardo Transactions

Water Is in the Air

Annick Bureau and Roger F. Malina, Guest Editors

We are pleased to present a selection of papers presented at the Water Is in the Air workshop, held 25–26 June 2012 in Marseille, France. Recognizing that water is at the core of many economic, social and political issues as well as cultural and symbolic ones, the workshop presented and discussed trans-disciplinary topics, using artistic and scientific projects about water as case studies.

The workshop was organized by Annick Bureau, Roger F. Malina and Pascale Hurtado under the auspices of the European StudioLab consortium led by the Science Gallery in Dublin, and was hosted by IMÉRA, the Institut Méditerranéen de Recherches Avancées at the Aix Marseille University.

Video documentation of all the talks is available online at www.olats.org/studiolab/eau.php?in=acte.

Transactions publishes short refereed papers, providing a fast track to publishing key new results, ideas and developments in practice. Young researchers, Ph.D. students and practicing artists in particular are encouraged to report on new work and new concepts.

Papers must be submitted electronically in final camera-ready form. For full information and templates: www.leonardo-transactions.com.

Associated with Transactions is an electronic database of new work, *Research Announcements* www.leonardo-transactions.com/announcements/. This moderated web site makes submitted Transactions papers available online from the date of receipt.

MEMORY VAPOR

Dmitry Gelfand and Evelina Domnitch,
Oudezijds Voorburgwal 19-1
Amsterdam 1012 EH Amsterdam, The
Netherlands E-mail:
<diarchy@portablepalace.com>.

* This paper represents work presented at the Water Is in the Air workshop organized in Marseille, France, by Leonardo/Olats in collaboration with IMéRA, 25-26 June 2012, as part of the European project StudioLab.

See <www.mitpressjournals.org/toc/leon/47/1> for supplemental files associated with this issue.

Abstract

Though initially intended for studying cloud nucleation, the cloud chamber accidentally led to the pivotal discovery of cosmic rays: a continuous cascade of subatomic particles, arriving to Earth from outer space. In the authors' artwork, *Memory Vapor*, the ephemeral condensation trails seeded by these particles are scanned and illuminated by a white laser sheet, transforming the cloud medium into a dynamic prism that vastly extends the spatio-temporal resolution of particle trajectories. The article also recounts the authors' prior aquatic and gaseous endeavors.

Although most of us are quite familiar with the effects of solar radiation on our biosphere and atmosphere, such as aurora borealis or australis, the effects of extra-solar radiation are far less sensorially or even theoretically familiar. At this very moment, we are being bombarded by billions of charge carriers coming from every possible direction in outer space. The immense diversity of energy signatures corresponds to the scope of cosmic origins, ranging from solar emissions and those of other stars to hitherto uncharted physical processes at the edge of the perceivable universe. Some of these cosmic bullets reach

speeds that are a thousand times faster than anything ever launched at the Large Hadron Collider, and approximately once a year, a particle that is 10 million times more energetic arrives. Their origins are presumed to be supernovas and active black holes. One such candidate, supernova 1054, exploded so intensely that in the year from which it gets its name, Chinese and Arab observers noted that it was bright enough to see in broad daylight for 23 days. Its remnants comprise the Crab Nebula. Significantly outlasting the timescale of stellar and galactic explosions, the highest energy cosmic rays unfold over multiple stages, entailing an accumulation of accelerative processes.


As soon as a cosmic ray reaches the ionosphere, the upper layer of our atmosphere, it ripples into a billion other particles, comprising a ubiquitous subatomic cascade. This cosmic shower can reach the senses by means of an experimental environment called a cloud chamber, invented by Charles Wilson in 1894 (perfected in 1911) to study the nucleation of atmospheric clouds -- an idea that came to him during his mountaineering trips when he observed such phenomena as auroras and glories. Two years later, in 1896, Henri Becquerel discovered radioactivity, the source of which was suspected to be radioactive elements embedded in the Earth. This was the dominant theory until 1912, when Victor Hess measured four times more radioactivity at a height of 5300 meters than at ground level. Making further measurements during a near-total

eclipse, Hess also dismissed the Sun as a potential source of this highly penetrative radiation. In 1925, Robert Milikan definitively labeled these ionizing emissions *cosmic rays*. While using a cloud chamber to determine the precise charge of a single electron, Milikan came across a plethora of other charge carriers. He interpreted them as the photonic "birth cries" of new atoms ceaselessly created by God to counteract the entropic heat death of the cosmos. Such assumptions put a rapid end to Milikan's scientific career.

Recently, the Cloud Project [1] at CERN and a multitude of parallel research groups have revealed the significant role of cosmic rays in atmospheric and biological processes. Variations in cosmic ray showers have been found to affect tree growth more than changes in temperature or precipitation [2]. The phenomenon known as *relativistic runaway electron avalanche*, hypothesized to seed lightning, has been directly linked to decaying cosmic rays -- as has the seeding of clouds.

In our artwork, *Memory Vapor* (2011) (Fig. 1), a cloud chamber combined with a particle accelerator is illuminated by a scanning white laser sheet, transforming its -200° C gaseous contents into a dynamic prism. Ionized nuclei, muons, antiprotons, electrons and positrons are trailed by a thread of condensation droplets, each of which the laser transforms into a luminous micro-lens. Resultantly, the spatio-temporal perception of particle tracks is vastly enhanced -- an unusual sensation of iridescent depth unfolds. It is necessary, here, to retrace some of the antecedent investigations that led to these surprising observational capacities. While developing several performances involving the acoustic suspension of matter in thin air, *Sonolevitation* (2007) and later *Mucilaginous Omniverse* (2009), we stumbled upon a recent discovery in non-linear optics: a laser beam can get trapped inside of a floating liquid droplet, causing the droplet to behave like an optical resonator capable of modulating the emission frequency and intensifying the beam up to hundreds of times [3]. The light gets trapped due to whispering chamber modes, with which, perhaps, you have been acquainted acoustically through certain examples of curvaceous architecture -- especially common among Gothic cathedrals. You can hear a whispering voice coming from a distant corner of the interior as if the voice were right beside you. Bouncing across a parabolic surface, the sound

Fig. 1. Prismatic trails of subatomic particles in the installation *Memory Vapor*. (© Evelina Domnitch and Dmitry Gelfand)



travels without any perceivable loss of intensity. Laser light can analogously get reflected off the inner surface of an optimally spherical droplet (untainted by the elongating effects of gravity). As the reflections accumulate, the light is amplified, turning the droplet into a laser cavity.

We have applied similar laser techniques to illuminate clouds of hydrogen bubbles in an installation entitled *Hydrogeny* (2010). When the Earth's aqueous envelope is irradiated by sunlight, water is split apart into hydrogen and oxygen gas. Among the planet's quintessential processes, solar water splitting is the source of most of the oxygen in the atmosphere and the origin of all earthly hydrogen, which helically conjoins every pair of DNA. Astonishingly, the electromagnetic fields imparted by sunlight can linger in water for hours or even days after their initial appearance. One significant application of electrolysis of water and artificial photosynthesis or photoelectrolysis is to extract hydrogen as an energy source [4]. Currently, researchers inspired by photosynthesis in nature, such as quantum chemist Daniel Nocera (MIT) and biophysicist Raoul Frese (Vrije Universiteit) are able to achieve a nearly lossless translation of sunlight into biosolar fuel by means of artificial photosynthesis.

The original precursor to *Memory Vapor* was our first exhibited artwork, *Wakening Shrouds* (2000), an installation comprised of extremely fine water droplets and light. The droplets are so tiny that they are only rendered visible when illuminated by highly focused light with a very specific angle of incidence. Evocative of the charged vapor cloud experiments conducted by Robert Millikan and earlier by JJ Thomson's Cavendish lab, the vapor as in the case of the latter, emanates from an electrolysis cell.

In direct counterpoint to illuminated water clouds in the air, another predecessor of *Memory Vapor* comprises clouds of light-emitting air bubbles within a body of water. *Camera Lucida: Sonochemical Observatory* (2003) [5], which was our 4th water-based endeavor, renders sound waves visible by means of an exotic phenomenon known as sonoluminescence. Microscopic gas bubbles, naturally dissolved in water, are sonically incited to collapse, at which point they reach temperatures as high as are found on the Sun and emit flashes of light with a duration of less than a billionth of a second. Because the flashes repeat per sound cycle, which (in the

case of this artwork) is from 40 to 100 thousand times per second, the light is perceived to be relatively continuous. However, it is so faint, that one's eyes must adapt for at least 5 minutes in total darkness in order to see the fleeting configurations of glowing sound fields. If you imagine the sinusoidal valley of a sound wave in three dimensions, you arrive at a pocket of empty space or semi-vacuum. If the wavelength is short enough or, in acoustic terms, if the frequency is high enough, then this semi-vacuum becomes sufficiently small enough to enter the skin of a microscopic air bubble -- far tinier than the dissolved bubbles you are used to observing in beer and champagne. As soon as the pocket of emptiness penetrates, the bubble rapidly implodes at speeds of up to 1 k/s, many times the speed of sound. Upon collapse, the gas inside the bubble shrinks into a core so dense that it can reach 10,000° C and emit light.

Initially, we were told by experts in the domain of sonochemistry that we were wasting our time and would never be able to reach the scale of sonoluminescence that we had envisioned. Nonetheless, we trusted our intuition and eventually made a pivotal leap with the generous help of Werner Lauterborn, then Director of the Physics Institute of Goettingen University, and a team of researchers at the Institute for Advanced Science and Technology, Nagoya, Japan. At that time, approximately a decade ago, numerous physicists were hypothesizing that sonoluminescence might be a means of procuring nuclear fusion, bubble fusion as it was termed. The temperatures were later determined to be not quite high enough for fusion to arise and no tell-tale neutron emissions could be detected. Hence, nearly all funding for the research of sonoluminescence suddenly evaporated. However, one of the scientists we have had the pleasure of collaborating with, quantum chemist Shin Ichi Hatanka, is still deeply pursuing the phenomenon. He has recently made a breathtaking discovery: two-colored sonoluminescence [6].

We would like to conclude with the words of theoretical physicist and philosopher, David Bohm, so eloquently emphasizing the senses and the inner-senses as the optimal instruments for tuning into hidden frontiers:

While humans' scientific instruments do constitute an effective extension of their bodies and sense organs, there are no comparable external structures that substitute for the inward side of the perceptive process (in which the

invariant features of what has been experienced are presented in the "inner show"). There is always finally a stage where an essentially perceptive process is needed in scientific research - a process taking place within the scientist [7].

References and Notes

1. Jasper Kirkby, Joachim Curtius, João Almeida, Eimear Dunne, Jonathan Duplissy, Sebastian Ehrhart, Alessandro Franchin, Stéphanie Gagné, Luisa Ickes, Andreas Kürten, Agnieszka Kupc, Axel Metzger, Francesco Riccobono, Linda Rondo, Siegfried Schobesberger, Georgios Tsagkogeorgas, Daniela Wimmer, Antonio Amorim, Federico Bianchi, Martin Breitenlechner, André David, Josef Dommen, Andrew Downard, Mikael Ehn, Richard C. Flagan + et al. "Role of sulphuric acid, ammonia and galactic cosmic rays in atmospheric aerosol nucleation," *Nature* **476**, pp. 429-433 (August 2011).
2. Fusa Miyake, Kentaro Nagaya, Kimiaki Masuda, Toshio Nakamura, "A signature of cosmic-ray increase in ad 774-775 from tree rings in Japan," *Nature* **486**, pp. 240-242 (June 2012).
3. H. Azzouz, L. Alkhafadiji, S. Balslev, J. Johansson, N. A. Mortensen, S. Nilsson, and A. Kristensen, "Levitated droplet dye laser" *Optics Express*, **Vol. 14**, Issue 10, pp. 4374-4379 (May 2006).
4. Stenbjörn Styring, "Artificial photosynthesis for solar fuels," *Faraday Discussions* **155**, pp. 357-376 (December 2011).
5. Evelina Domnitch, Dmitry Gelfand, "Camera Lucida: A Three-Dimensional Sonochemical Observatory," *Leonardo*, **Vol. 37**, No. 5, pp. 391-396, (2004).
6. Shin-ichi Hatanaka, Shigeo Hayashi, and Pak-Kon Choi, "Sonoluminescence of Alkali-Metal Atoms in Sulfuric Acid," *Japanese Journal of Applied Physics* **49** (July 2010).
7. David Bohm, "Physics and Perception," extract from the appendix of *The Special Theory of Relativity* (London, UK.: Routledge, 1965).